


VIP

Lamps for video projection



Product family datasheet

Technical data

Product description	Electrical data	Photometrical data		Capabilities
	Nominal voltage	Light color (designation)	Nominal luminous flux	Dimmable
P-VIP 100...120 W/1.0 P22HA	85.0 V	Daylight		Yes
P-VIP 100...120 W/1.3 E23A	85.0 V	Daylight		Yes
P-VIP 100...120 W/1.3 E23HA	85.0 V	Daylight	120 lm	Yes
P-VIP 150...180 W/1.0 E22RA	85.0 V	Daylight		Yes
P-VIP 180 W/1.0 E20.6A	85.0 V	Daylight	7300 lm	Yes
P-VIP 180-230/1.0 E20.6	85.0 V	Daylight		Yes
P-VIP 190/0.8 E20.8	85.0 V	Daylight		Yes
P-VIP 220 W/1.0 E20.8 EDU	80.0 V	Daylight		Yes
P-VIP 230/0.8 E20.8 NE	76.0 V	Daylight		Yes
P-VIP 240/0.8 E20.9n	70.0 V	Daylight		Yes
P-VIP 250/1.3 E21.8A	85.0 V	Daylight	7500 lm	Yes
P-VIP 250/1.3 cE21.5	87.5 V	Daylight		Yes
P-VIP 280/0.9 E20.6	80.0 V	Daylight		Yes
P-VIP 280 W/0.9 E20.8	80.0 V	Daylight		Yes
P-VIP 300/1.3 P22.5	85.0 V	Daylight	7500 lm	Yes
P-VIP 280 W/0.9 E20.9	70.0 V	Daylight		Yes
P-VIP 300 W/1.3 E21.8E	85.0 V	Daylight	7500 lm	Yes

Product family datasheet

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.